





ECSPK1

Smart Security Alarm Kit 1

- 1 x Smart hub, 1 x PIR, 1 x Door/Window Contact,
- 1 x Remote Control
- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK1A

Fort Smart Alarm Kit

1 x Smart Hub, 1 x PIR, 1 x Contact, 1 x Remote Control, 1 x Keypad & 1 x Solar Siren

Smart Alarm Kit:

- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK1B

Fort Smart Alarm Kit

Kit Contains:

- 1 x Smart Hub. 1 x PIR. 1 x Contact. 1 x Remote Control. 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell
- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK2

Smart Security Alarm Kit 2

- 1 x Smart hub, 2 x PIR, 1 x Door/Window Contact,
- 1 x Remote Control
- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK2A

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub, 2 x PIRs, 1 x Contact, 1 x Remote Control, 1 x Keypad & 1 x Solar Siren

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included









ECSPK2B

Fort Smart Alarm Kit

Kit Contains:

- 1 x Smart Hub. 2 x PIRs. 1 x Contact. 1 x Remote Control. 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell
- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included













ECSPK3

Smart Security Alarm Kit 3

- 1 x Smart hub, 3 x PIR, 2 x Door/Window Contact,
- 2 x Remote Control
- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK3A

Fort Smart Alarm Kit

1 x Smart Hub, 3 x PIRs, 2 x Contacts, 1 x Remote Control, 1 x Keypad & 1 x Solar Siren

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK3B

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub. 3 x PIRs. 2 x Contacts. 1 x Remote Control. 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK4

Smart Security Alarm Kit 4

- 1 x Smart hub, 4 x PIR, 2 x Door/Window Contact,
- 2 x Remote Control
- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included









ECSPK4A

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub. 4 x PIRs. 1 x Contacts. 2 x Remote Controls, 1 x Keypad & 1 x Solar Siren

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included









ECSPK4B

Fort Smart Alarm Kit

Kit Contains:

- 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell
- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included













ECSPK5

Smart Security Alarm Kit 5

1 x Smart hub, 1 x Pet PIR, 1 x Door/Window Contact, 1 x Remote Control

- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK5A

Fort Smart Alarm Kit

1 x Smart Hub, 1 x Pet PIR, 1 x Contact, 1 x Remote Control, 1 x Keypad & 1 x Solar Siren

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK5B

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub. 1 x Pet PIR. 1 x Contact. 1 x Remote Control. 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK6

Smart Security Alarm Kit 6

1 x Smart hub, 2 x Pet PIR, 2 x Door/Window Contact, 2 x Remote Control

- Smart Alarm Kit
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included









ECSPK6A

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub. 2 x Pet PIRs. 2 x Contacts. 1 x Remote Control, 1 x Keypad & 1 x Solar Siren

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included







ECSPK6B

Fort Smart Alarm Kit

Kit Contains:

1 x Smart Hub. 2 x Pet PIRs. 2 x Contacts. 1 x Remote Control. 1 x Keypad, 1 x Solar Siren & 1 x Smart WiFi Door Bell

- Smart Alarm Kit:
- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included













ECSPHB Smart Security Alarm Hub





Fort.

1230 **4 5 6 8**

7 8 9 9 . 0 2 20







- WI-FI Enabled with GSM Back-up Facility
- Activations and Monitoring Supported via APP
- No Additional Subscriptions or Fees Required
- Supports up to 32 RF Devices
- Built-in siren (95dB)
- Built-in Backup Battery, With Up To 8 Hours Standby Time
- 80 Meter Open Field RF Transmission (433Mhz)
- 2.4GHz Wi-Fi Connection Required
- Sim Card Not Included

General Information

Material	ABS
Operating Voltage	12VDC 1A
Backup Battery	Internal 7.4V600mAh Li-Po Battery
Device Communication	RF 433 MHz
Transmission Distance	80m (Open field)
Network Connection	Wi-Fi 2.4GHz
GSM (SIM Required)	850/900/1800/1900 MHz
Internal Siren	95dB
System Requirements	Mobile Device Running IOS 8 or Higher or Android 4.1x or Higher
Dimensions	109.5mm x 109.5mm x 40mm
Operating Conditions	-10°C ~ 55°C

- Smart Alarm Keypad
- Requires Smart Alarm Hub (ECSPHB)
- 80 Meter Open Field RF Transmission (433Mhz)
- Arm, Disarm, Home Mode and Panic Function
- Supports up to 50 Proximity Tags (ECSPPX)
- Battery Powered (Supplied)
- Low Power Indication
- Tamper Protection



eneral illiorniation	
laterial	ABS
perating Voltage	3 x AAA Batteries
linimum Battery Life	1 Year (dependant on activations)
otal fobs	50
evice Communication	RF 433 MHz
ransmission Distance	80m (Open field)
nti-Tamper	Built-in Microswitch
imensions	135mm x 90mm x 15mm
nerating Conditions	-10°C ~ 55°C



- 80 Meters Open Field RF Transmission (433Mhz)
- Requires Smart Alarm Hub (ECSPHB)
- Suitable for Doors & Windows
- Battery Powered (Supplied)
- Low Power Indication
- Tamper Protection



ECSPCT Smart Security Alarm Contact







- Smart Alarm Vibration Sensor
 - Battery Powered (Supplied)

General Information Material

General Information Material

■ Low Power Indication

Anti-Tamper

■ 80 Meter Open Field RF Transmission (433Mhz)

Transmitter Dimensions 55.7mm x 30.3mm x 16mm

RF 433 MHz

80m (Open field)

Built-in Microswitch

1 Year (dependant on

RF 433 MHz 80m (Open field) 10 - 50 grams 60mm x 39mm x 17mm

Requires Smart Alarm Hub (ECSPHB)

Operating Conditions -10°C ~ 55°C



ECSPVS Smart Security Alarm Vibration Sensor







17















ECSPPIR Smart Security Alarm PIR











ECSPPET Smart Security Alarm Pet PIR









- Smart Alarm PIR
- 80 Meter Open Field RF Transmission (433Mhz)
- Detection Coverage: 8m/110°
- Requires Smart Alarm Hub (ECSPHB)
- Battery Powered (Supplied)
- Low Power Indication
- Tamper Protection

delleral lillorillation	
Material	ABS
Operating Voltage	2 x AA Batteries
Minimum Battery Life	1 Year (dependant on activations)
PIR Detection Range	8m
PIR Detection Angle	110°
Device Communication	RF 433 MHz
Transmission Distance	80m (Open field)
Anti-Tamper	Built-in Microswitch
Dimensions	107mm x 53mm x 32mm
Operating Conditions	-10°C ~ 55°C

- Smart Alarm PET PIR
- 80 Meter Open Field RF Transmission (433Mhz)
- Requires Smart Alarm Hub (ECSPHB)
- Detection Coverage: 8m/110°
- Battery Powered (Supplied)
- Pet Friendly < 25Kg
- Low Power Indication
- Tamper Protection

General Information	
Material	ABS
Operating Voltage	2 x AA Batteries
Minimum Battery Life	1 Year (dependant on activations)
PIR Detection Range	8m
PIR Detection Angle	110°
Pet Tolerance	<25kg
Device Communication	RF 433 MHz
Transmission Distance	80m (Open field)
Anti-Tamper	Built-in Microswitch
Dimensions	107mm x 53mm x 32mm
Operating Conditions	-10°C ~ 55°C

- Smart Alarm Remote Control
- 80 Meter Open Field RF Transmission (433Mhz)
- Arm, Disarm, Home Mode and Panic Function
- Requires Smart Alarm Hub (ECSPHB)
- Battery Powered (Supplied)
- Low Power Indication

General Information Material Operating Voltage

General Information Material

Transmission Distance

Operating Voltage 5V 1.1A (USB) Backup Battery 3.7V 300mAh Lithium Battery Device Communication RF 433 MHz

80m (Open field)

60mm x 39mm x 17mm



ECSPRC Smart Security Alarm Remote Control







■ Smart Alarm RF Signal Booster

Operating Conditions -10°C ~ 55°C

USB Powered with Recharging Backup Battery

1 Year (dependant on activations)

Arm, SOS RF 433 MHz 80m (Open field) 3.4mm x 1.1mm x 6.3mm

4 buttons - Disarm, Arm, Home

- 80 Meter Open field RF Transmission (433Mhz)
- Requires Smart Alarm Hub (ECSPHB)



ECSPBST Smart Security Alarm Booster











- Requires Smart Alarm Hub (ECSPHB) & Keypad (ECSPKY)
- Smart Alarm Proximity Tag (2 Pack)
- Disarm the System via Proximity

ECSPP	Х		
5mart	Security	Alarm	Fob









ECSPSOS
Smart Security Alarm SOS Control







- Smart Alarm SOS Button
- Raise an Alert Instantly
- Battery Powered (Supplied)
- 80 Meter Open Field RF Transmission (433Mhz)
- Requires Smart Alarm Hub (ECSPHB)



General Information	
Material	ABS
Operating Voltage	1 x CR2025 3V Battery
Minimum Battery Life	1 Year (dependant on activations)
Device Input	1 button - SOS
Device Communication	RF 433 MHz
Transmission Distance	80m (Open field)
Dimensions	3.4mm x 0.7mm x 6.3mm
Operating Conditions	-10°C ~ 55°C



- Built-In Siren (110dB) and LED Indication
- Suitable for Outdoor Use (IP44 Ingress Protection)
- Compact Design: 162x182mm
- Rechargeable Backup Battery, with up to 40 Day Standby
- Low Power Indication
- Tamper Protection

Material

Battery Backup

Operating Voltage

Device Communication RF 433 MHz

Ingress Protection IP44

Transmission Distance 80m (Open field)

Anti-Tamper Built-in Microswitch

Dimensions 162mm x 182mm x 65mm
Operating Conditions -10°C ~ 55°C

■ 80 Meter Open Field RF Transmission (433Mhz)

ABS

Lithium 18650 3.7V/2200mAh

■ For use with Smart Alarm Hub (ECSPHB)



ECSPEXSSmart Security Alarm Solar Siren









■ Smart Alarm External Mains Powered Siren

- Built-In Siren (110dB) and LED Indication
- Suitable for Outdoor Use (IP44 Ingress Protection)
- Compact Design: 162x182mm
- Rechargeable Backup Battery, with up to 40 Day Standby
- Low Power Indication
- Tamper Protection

General Information Material

■ 80 Meter Open Field RF Transmission (433Mhz)

ABS

Battery Backup Lithium 18650 3.7V/2200mAh
Device Communication RF 433 MHz

 Transmission Distance
 80m (Open field)

 Anti-Tamper
 Built-in Microswitch

 Ingress Protection
 IP44

 Dimensions
 162mm x 182mm x 65mm

For use with Smart Alarm Hub (ECSPHB)



ECSPEXSWSmart Security Alarm Wired Siren















ECSPCAMSLW WHITE ECSPCAMSLB BLACK Smart Security Floodlight Camera

ECSPCAMFLW WHITE ECSPCAMFLB BLACK

Smart Security Spotlight Camera













- No Subscription or Additional Fees Required
- 110° Wide Angle Camera View
- 5000K LED Lamp
- 2500 Lumen Output (25w)
- Motion Activated Video Record
- Clear Two-Way Audio
- Remotely Activate or Dim LED Lamp
- IP65 Rated Ingress Protection
- Requires 2.4GHZ Wi-Fi Network Connection
- Operating Temperature: -10 +40°C
- Dimensions: 258 x 88 x 184mm

General	

Camera Resolution	1920 x 1080
Angle of View	110°
Storage Device	Micro SD Card (128GB Max.)
WiFi Frequency	2.4GHz
Infrared Range	5~10m
Light Output	2500 Lumens (25 Watts)
IP Rating	IP65
Power	110 - 220 VAC
Dimensions	258mm x 188mm x 184mm





- 110° Wide Angle Camera View
- 5000K LED Lamp
- 2000 Lumen Output (25w)
- Motion Activated Video Record
- Clear Two-Way Audio
- Remotely Activate or Dim LED Lamp
- IP65 Rated Ingress Protection
- Operating Temperature: -10 +40°C
- Dimensions: 283 x 133 x 184 mm

General Information	
Camera Resolution	1920 x 1080
Angle of View	110°
Storage Device	Micro SD Card (128GB Max.)
WiFi Frequency	2.4GHz
Infrared Range	5~10m
Light Output	2000 Lumens (25 Watts)
IP Rating	IP65
Power	110 - 220 VAC
Dimensions	702mm v 122mm v 10/mm



- No Subscription or Additional Fees Required
- Battery Powered with up to 750 Activations on Full Charge
- Plug-in RF Chime Included
- IP54 Rated Ingress Protection
- 5m Infrared LED Illumination
- 3m PIR Detection Range
- 130° Wide Angle Camera View
- Motion Activated Video Record (Storage Included)
- Clear Two-Way Audio

General Information

Camera Resolution	1920 x 1080
Sensor Size	1/2.9"
Lens	4mm Fixed
Viewing Angle	130°
Infrared Distance	5 meters
PIR Distance	3 meters
Storage	Micro SD (up to 128GB)
Connectivity	Wi-Fi 2.4GHz
Power	2 x Rechargable 18650 3.7 3350mAh Lithium-Ion Batteries
Dimensions	140.51mm x 50mm x 29mm

■ Full 1080p HD Live View & Recording

■ 8m Infrared LED Illumination

■ 130° Wide Angle Camera View

■ IP65 Rated Ingress Protection

■ Motion Activated Video Record (Storage

■ 7m PIR Detection Range

■ Clear Two-Way Audio

■ No Subscription or Additional Fees Required

■ Battery Powered with up to 750 Activations on



ECSPDB Smart Security Doorbell











- Requires 2.4GHZ Wi-Fi Network Connection

General Information

Full Charge

Included)

deneral information	
Camera Resolution	1920 x 1080
Sensor Size	1/2.9"
Lens	3.3mm
Viewing Angle	125°
Infrared Distance	7 meters
PIR Distance	6 meters
Storage	Micro SD (up to 128GB)
Connectivity	Wi-Fi 2.4GHz
Power	2 x Rechargable 18650 3.7 3350mAh Lithium-Ion Batteries
Dimensions	100.72mm x 57mm x 59.93mm



Smart Security External Camera















ECSPCAM Smart Security Camera









FOIT.





- Motion Activated Video Record (Storage
- No Subscription or Additional Fees Required
- 10m Infrared LED Illumination
- 85° Wide Angle Camera View
- Clear Two-Way Audio

Genera	I Information

Camera Resolution	1920 x 1080
Sensor Size	1/2.7"
Lens	4mm Fixed
Viewing Angle	85°
Infrared Distance	10 meters
Storage Device	Micro SD Card (128GB Max.)
Connectivity	Wi-Fi 2.4GHz
Power	5VDC1.1A (Micro-USB 1m supplied)
Dimensions	70mm x 70mm x 91mm

- Full 1080p HD Live View & Recording
- 3-5m Infrared LED Illumination
- Motion Tracking and Record
- Clear Two-Way Audio

- 355° Pan and 180° Tilt Remote Control
- 140° Wide Angle View
- 2.4Ghz Wi-Fi Connection Required

- No Subscription or Additional Fees Required
- Function

General Information

1920 x 1080 140° 3-5 meters Micro SD Card (128GB Max.) Wi-Fi 2.4GHz

Ø75mm x 114mm



- Remote Monitoring and Scheduling
- Multiple Energy Saving Features
- Clear LED Display and Manual Controls
- 2.4GHz Wi-Fi Connection Required

Thermostat

Power Supply	2 x AA Batterys
Temperature Display Range	+0 to +50
Temperature Set Range	+5 to +35
Temperature Display Accuracy	0.1
Temperature Setting Accuracy	0.5
Relay Rating	8A @ 250V AC
Ingress Protection Rating	IP21
Transmission Frequency	868 MHz
Transmission Distance	100m (open field)
Mounting	Wall or Stand
Dimensions	100x100x22mm
Receiver	
Power Supply	100-240V AC

Dimensions	100x100x22mm
Receiver	
Power Supply	100-240V AC
Power Source	Flylead or Mains adapter (comes supplied)
Relay Rating	8A @ 250V AC
ransmission Frequency	868MHz
ransmission Distance	100m
NiFi Frequency	2.4GHz
limoneione	06v06v70 6



ECSPST Smart Controls WiFi Programmable Thermostat White









- Control and Schedule Through APP
- Automate with Other Click Smart+ App Devices

110-240V AC 0/60Hz

1 x Mains Socket

76x51x61 (HxWxD)

3120W

13A

WiFi

2000V AC

■ 2.4GHz Wi-Fi Connection Required

Operating Voltage Max Load (Watts)

Max Load (Amperes)



ECSPSP Smart Controls WiFi USB & Mains Plug





ECSPCAMPT Smart Security PT Camera









