




Seera® has been designed to provide a competitive, cost effective equivalent range of white moulded accessories with a sleek, slim design creating a modern aesthetic.

The Seera® range is manufactured from Polycarbonate with reinforced interior plates to ensure every product is robust, strong and durable. Seera® also has the additional benefit of being UV stabilised so that signs of ageing are not a problem.

Seera® Wiring Accessories are not only ergonomic, providing ease of operation, but also come with fully retained terminal screws and chamfered cable entry access for ease of installation. This product is true value for the money, offering the utmost appeal to installers and end users alike

Each product within the Seera® range comprises of an Insert and a Polar White Gloss Finish clip on Frontplate as standard, these Frontplates beautifully conceal the fixing screws, meaning no need for screw caps!



10 Year Warranty

All products within the Seera® Range come with a 10 Year Warranty.

Introducing new Black & Silver finishes

Our Seera® range is now available with 3 different finish options! The Seera® range comes in a White finish as standard, but now you can choose to change the finish to either Black or Silver, which is available across the entire Seera® range.



Understanding the product code

Our Seera® range comes White as standard. If another finish is required, then simply specify the required finish by following the easy to follow code structure as demonstrated here...



Plate Style

801

BK/SV

Number

Plate Finish

If you require an alternative finish to white, then please add the required suffix to the product code.





(BK) Black

(SV) Silver

Installation Assembly

A great feature of the Seera® Range is that the fixing screws are not visible!

The Frontplate is attached directly onto the Insert to hide all fixing screws.

The product Insert will be fixed to a back box.





Socket Assembly



Switches

Our switches are developed to offer a solution for almost every possible design need and the screwless exterior enhances the décor of any installation.

Wide Rocker Switches


- One Way
- Two Way
- Intermediate
- 10AX
- 20AX

Dimmer Switches

9

SEERA







801 825



SWITCHES



CPC801 10AX Single Pole 1 Gang 1 Way Plate Switch
CPC802 10AX Single Pole 2 Gang 1 Way Plate Switch
CPC803 10AX Single Pole 3 Gang 1 Way Plate Switch
CPC827 10AX Single Pole 1 Gang Push Bell Plate Switch

10AX PLATE SWITCHES

CPC825 10AX Single Pole 1 Gang Intermediate Plate Switch

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together













10AX PLATE SWITCHES

CPC811 10AX Single Pole 1 Gang 2 Way Plate Switch
 CPC812 10AX Single Pole 2 Gang 2 Way Plate Switch
 CPC813 10AX Single Pole 3 Gang 2 Way Plate Switch
 CPC814 10AX Single Pole 4 Gang 2 Way Plate Switch

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

11















ROTARY DIMMER SWITCHES

 CPC140
 1 Gang 2 Way 400W Dimmer Switch

 CPC145
 1 Gang 2 Way 250W Dimmer Switch

 CPC146
 2 Gang 2 Way 250W Dimmer Switch

LED DIMMER MODULES

MD9014 100W Dual Mode Dimmer Module with Trim

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-2-1 BS 5733 BS EN 55015

MD9014: BS EN 60669-1BS EN 60669-2-1BS EN 55015 BS EN 61000-3-2

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D) MD9014: 25mm (W) x 57.5mm (H) x 24.2mm (D)

Additional Information

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

All products in the Seera® range are available in White, Black and Silver.







seera "







ROTARY DIMMER SWITCH UNFURNISHED PLATES

CPC140PL 1 Gang Dimmer Switch Plate & Control Button
CPC146PL 2 Gang Dimmer Switch Plate & Control Buttons

LED DIMMER MODULES

MD9014 100W Dual Mode Dimmer Module with Trim

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733: 2010 + A1: 2014

MD9014: BS EN 60669-1BS EN 60669-2-1BS EN 55015 BS EN 61000-3-2

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D) MD9014: 25mm (W) x 57.5mm (H) x 24.2mm (D)

Additional Information:



Our sockets have the provision of fused connection units as standard, which greatly facilitates wiring and installation.


- 13A UK Socket Outlets
- Switched Socket Outlets With USB
- 13A Universal Socket Outlet
- 15A Round Pin Socket Outlet
- Blank Plates
- Control Switches
- Connection and Flex Outlet Plates
- 13A Fused Connection Units



seera "

15







13A 1 Gang Double Pole Switched

CPC036 13A 2 Gang Double Pole Switched

UK Socket

13A 1 Gang Double Pole Switched

UK Socket With Neon

DUAL VOLTAGE SHAVER OUTLET

20VA Dual Voltage Shaver Outlet (115-230V)

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-2 100: BS EN 61558-1 BS EN 61558-2-5:2010

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 2 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

100: 86mm (W) x 146mm (H) x 6.5mm (D)

Additional Information:

Insert & Front Plates Supplied Together

(All excluding 100)

13A 2 Gang Double Pole Switched

UK Socket With Neon





UK SOCKET OUTLETS WITH CHARGING USB

13A 1 Gang Switched UK Socket With USB Outlet 13A 2 Gang Switched UK Socket With USB Outlet

ROUND PIN SOCKET OUTLETS

15A Round Pin 1 Gang Switched Socket

BLANK PLATES

1 Gang Blank Plate CPC061 2 Gang Blank Plate

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: 770 & 771:BS 1363-2: 2016 +A1: 2018 060 & 061: BS 5733

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 2 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:





All products in the Seera® range are


SEERA

seera "

17

seera "











UNIVERSAL UNIVERSAL SOCKETS

13A 1 Gang Switched Universal Socket Outlet With Single 2.1A USB Outlet CPC9871N 13A 1 Gang Switched Universal Socket Outlet With 2.1A USB Outlet & Neon 13A 2 Gang Switched Universal Socket Outlet With Type A & C USB (4.2A) Outlets CPC9886 CPC9886N 13A 2 Gang Switched Universal Socket Outlet With Type A & C USB Outlets & Neons

1 Gang 13A Universal Switched Socket With Neon CPC9835N CPC9836N 2 Gang 13A Universal Switched Socket With Neon

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish


BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: 9871, 9871N, 9886 & 9886N: IEC 62368-1: 2018 EN 62680-1-1: 2015

Dimensions: 1Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 2 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together



20A CONTROL SWITCHES

20A Double Pole 1 Gang Plate Switch

CPC822N 20A Double Pole 1 Gang Plate Switch With Neon

32A DOUBLE POLE SWITCHES

32A Double Pole 1 Gang Plate Switch With Neon

32A Double Pole 1 Gang Plate Switch With Neon - Air Conditioning

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

All products in the Seera® range are


available in White, Black and Silver.


SEERA

seera i

19

seera "







45A DOUBLE POLE SWITCHES

45A Double Pole 1 Gang Plate Switch

45A Double Pole 1 Gang Plate Switch With Neon

45A Double Pole 2 Gang (Vertical) Plate Switch With Neon

45A COOKER CONTROL UNIT

45A Double Pole Switch & 13A Double Pole Switched Socket & Neons

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS EN 60669-1 205: BS 4177

Dimensions: 1 Gang: 86mm (W) x 86mm (H) x 6.5mm (D) 2 Gang: 86mm (W) x 146mm (H) x 6.5mm (D) 205: 86mm (W) x 146mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

CONNECTION PLATE

CPC017 20A 3 Termination Plate With Optional Flex Outlet

017

CONNECTION PLATE

CPC215 45A 3 Termination Plate With Optional Cable Outlet

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

017: 86mm (W) x 86mm (H) x 6.5mm (D) 215: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:


20

SEERA

seera "

21

seera "









13A FUSED CONNECTION UNITS

13A Fused Connection Unit Double Pole Switched

13A Fused Connection Unit Double Pole Switched With Neon

13A Fused Connection Unit With Neon

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish


BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362:1973

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together













13A FUSED CONNECTION UNITS

13A Fused Connection Unit With Flex Outlet

13A Fused Connection Unit Double Pole Switched With Flex Outlet

13A Fused Connection Unit Double Pole Switched With Flex Outlet & Neon

13A Fused Connection Unit With Flex Outlet & Neon

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 1363-4 BS 1362:1973

Dimensions: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

TV, Telephone & Data Sockets

Providing the means to facilitate the connection of modern communications equipment is as important today as it is to provide the electrical power to operate them, which includes products for connecting telephone, computer, television and satellite devices.



- Unfurnished Media Plates
- RJ11 Outlet
- Telephone Outlets
- Satellite Outlet
- Coaxial Outlet



SEERA

seera "

25

All products in the Seera® range are available in White, Black and Silver.











Unfurnished Plates above can be furnished with any New Media™ modules, for the full range please refer to the Click® Wiring Accessory Catalogue.



NEW MEDIA PLATES (UNFURMISHED)

1 Gang Media Plate 2 Gang Media Plate

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish


BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 1 & 2 Gang: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:


A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together











new Media

Unfurnished Plates above can be furnished with any New Media™ modules, for the full range please refer to the Click® Wiring Accessory Catalogue.





NEW MEDIA PLATES (UNFURMISHED)

4 Gang Media Plate

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 4 Gang: 146mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

seera *

seera "




SEERA



TELEPHONE OUTLETS







TELEPHONE OUTLETS

CPC115 1 Gang Single RJ11 (Irish-US) Outlet

TELEPHONE OUTLETS

CPC119 1 Gang Single Telephone Master Outlet

CPC124 1 Gang Single Telephone Secondary Outlet

Understanding the code:

CPC - Plate Style 801 - Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards

Dimensions: 115: 86mm (W) x 86mm (H) x 6.5mm (D) 119 & 124: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

A stylish, Contemporary & Flexible Range of Smooth Profile Wiring Accessories Insert & Front Plates Supplied Together

SATELLITE & COAXIAL OUTLETS

CPC065 1 Gang Non-Isolated Single Coaxial Outlet
CPC156 1 Gang Non-Isolated Single Satellite Outlet

Understanding the code:

CPC - Plate Style 801- Product Number BK - Plate Finish

Finish options:

BK Black SV Silver (if you require an alternative finish to white then please add the required suffix to the product code)

Standards: BS 5733

Dimensions: 165: 86mm (W) x 86mm (H) x 6.5mm (D) 156: 86mm (W) x 86mm (H) x 6.5mm (D)

Additional Information:

