



Decorative Metal  
Wiring Accessories

deco®







## Decorative Metal Wiring Accessories in Assorted Plate Finishes

A comprehensive range of decorative metal wiring accessories now available under the single Deco® brand. A brand that is synonymous with high specification, high quality, long life and unprecedented value for money.

Each product is supplied individually packaged in its own distinctive printed box complete with comprehensive fitting instructions.

Deco® switches feature the same modular switch design as our moulded ranges. All of the switch modules featured in our dedicated modules brochure can therefore be used in any combination on Deco® accessories.

Deco® plates are manufactured from stainless steel, georgian style (GCBR) plates are manufactured from cast brass. All Deco® 13A sockets and fused connection units are tested and approved to BS1363 offering assured quality and safety.



Antique Brass\* (AB)

Black Nickel (BN)

Polished Chrome (CH)



Georgian Style (GCBR)

Pearl Nickel (PN)

Polished Brass (BR)



Satin Brass\* (SB)

Satin Chrome\* (SC)

Stainless Steel (SS)

Every Deco® product featured in the pages of this brochure are available in 9 distinctive quality finishes: Antique Brass\*, Polished Brass, Polished Chrome, Satin Chrome\*, Satin Brass\*, Black Nickel, Pearl Nickel, Stainless Steel and Georgian Style Cast Brass.

All Deco® products are available with black or white inserts.

*(Excluding antique brass and black nickel finishes which are supplied with black insert and gasket only).*

A selection of Stainless Steel and Satin Chrome finishes are now available with grey inserts.

## Contents

Switches	D5
Back Boxes	D9
Power Socket Outlets	D14
13A Fused Connection Units	D18
Control Switches	D20
Socket & Blank Plates	D25
Telephone & Data Sockets	D28
TV & Satellite	D29
New Media™ Plates	D30
Galvanised Boxes	D31
Dry Lining Boxes	D32

Plate Style	Product Finish	Product Number	Insert Colour
-------------	----------------	----------------	---------------

## Deco® unique product codes

When ordering any Deco® products, please specify the required finish by following the simple code structure as demonstrated here.

For georgian style cast brass, please replace the 'Plate Style' and 'Product Finish' with GCBR eg. GCBR036BK.

# Switches

All Deco® switches are supplied complete with switch module(s). However the installer may customise a switch arrangement by substituting switch modules by means of a simple, single fixing screw.

All Deco® switch plates are modular as standard, allowing you to create virtually any switch plate you require. A comprehensive range of available modules is illustrated in the Minigrid® section of this catalogue.

Unfurnished mounting plates can be ordered separately and furnished with whatever selection of switch modules may be required.

**MINIGRID®**

Please see page K18 for a selection of Minigrid® modules.

Plate Switches

Dimmer Switches | Toggle Switches

## Switches

deco®

D5



011 | 025

012

013



019



105

**MINIGRID®**

Switch modules interchangeable with MiniGrid® Modules  
For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

### Plates Switches - MiniGrid®

- 011** 10AX 1 Gang 2 Way Plate Switch
- 012** 10AX 2 Gang 2 Way Plate Switch
- 013** 10AX 3 Gang 2 Way Plate Switch
- 019** 10AX 4 Gang 2 Way Plate Switch
- 105** 10AX 6 Gang 2 Way Plate Switch
- 025** 10AX 1 Gang Intermediate Plate Switch

Standards: BS EN 60669-1

Back Box Depth (mm): 011 012 013 025: 16 105 019: 25 Cable Size (mm<sup>2</sup>): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:

VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour Please note: AB & BN are only available with black inserts.

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,

BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

click®



**MINIGRID®** Switch modules interchangeable with MiniGrid® Modules  
For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

**Ingot Plates Switches - MiniGrid®**

- 411 10AX Ingot 1 Gang 2 Way Plate Switch
- 412 10AX Ingot 2 Gang 2 Way Plate Switch
- 413 10AX Ingot 3 Gang 2 Way Plate Switch
- 414 10AX Ingot 4 Gang 2 Way Plate Switch
- 416 10AX Ingot 6 Gang 2 Way Plate Switch
- 425 10AX Ingot 1 Gang Intermediate Plate Switch

Standards: BS EN 60669-1  
Back Box Depth (mm): 411 412 413 425: 16 414 416: 25  
Cable Size (mm<sup>2</sup>): 4 x 1.5 or 2 x 2.5  
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



**MINIGRID®** For the complete range of MiniGrid® modules, see the dedicated MiniGrid® section, page K18.

**Unfurnished Plates - MiniGrid®**

- 401 1 Gang MiniGrid® Unfurnished Plate - 1 Aperture
  - 402 1 Gang MiniGrid® Unfurnished Plate - 2 Apertures
  - 403 1 Gang MiniGrid® Unfurnished Plate - 3 Apertures
  - 404 2 Gang MiniGrid® Unfurnished Plate - 2 x 2 Apertures
  - 406 2 Gang MiniGrid® Unfurnished Plate - 2 x 3 Apertures
  - 426 2 Gang MiniGrid® Unfurnished Plate - 6 In-Line Apertures
  - 432 2 Gang MiniGrid® Unfurnished Plate - 3 Apertures
- Please note 432 is not available in BN, BR, PN, SB or GCBR.  
See range of MiniGrid® Modules in the MiniGrid® section

**Architrave Switch Plates (Unfurnished)**

- 471 1 Gang MiniGrid® Unfurnished Architrave Plate - 1 Aperture
- 472 2 Gang MiniGrid® Unfurnished Architrave Plate - 2 Apertures

Standards: BS 5733  
Back Box Depth (mm): Dependent On Modules Fitted 471: 16 472: 25  
Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 471: 35 (W) x 89 (H) x 8 (D) 472: 35 (W) x 149 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

These plates must be used with the dedicated architrave back boxes WA571/WA572 and can only be flush mounted.  
See page D31.  
Not compatible with MD070 & MD075 Switch modules.

D8




The furnished plate shown here contains a selection of both single and twin width MiniGrid® modules. GR100 yokes are required to mount the MiniGrid® modules into prior to assembling the frontplate.



512

**2 Tier Unfurnished Plates c/w Gaskets - MiniGrid®**

**512** 2 Tier MiniGrid® Unfurnished Plate - 12 Apertures  
2 x GR100 Yokes required, see page D9



518

**3 Tier Unfurnished Plates c/w Gaskets - MiniGrid®**

**518** 3 Tier MiniGrid® Unfurnished Plate - 18 Apertures  
3 x GR100 Yokes required, see page D9



If dimmer modules are to be mounted directly above each other, the MD9014 (page K37) or similar height dimmer modules must be installed. Alternatively, retractive switch modules MD004 (page K21) can be used in conjunction with Click Smart+ dimming receivers (page A20).

Standards: BS 5733  
Back Box Depth (mm): 47  
Dimensions (mm): 512: 146 (W) x 146 (H) x 8 (D) 518: 146 (W) x 227 (H) x 8 (D)

Understanding the code:  
VP - Plate Style BN - Plate Finish 011 - Product No. Please note: Supplied with both black & white gaskets (AB & BN supplied with black gaskets only)  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

D9



Galvanised steel back boxes supplied for flush mounting of the large MiniGrid® plates. Mounting Yoke facilitates pre-assembly of required modules. Fitted with twin earth terminals.



GR100

WA512

WA518

**Yokes**

- GR100BK** MiniGrid® Module Yoke - 6 Apertures - Black
- GR100PW** MiniGrid® Module Yoke - 6 Apertures - White
- GR100GY** MiniGrid® Module Yoke - 6 Apertures - Grey

2 or 3 yokes are required based on the backbox selected.

**Galvanised Steel Back Boxes**

- WA512** 2 Tier 47mm Deep K.O. Box
- WA518** 3 Tier 47mm Deep K.O. Box

Standards: 512 518:BS 4662  
Dimensions (mm): GR100: 129 (W) x 55 (H) x 14 (D) 512: 137 (W) x 137 (H) x 47 (D) 518: 137 (W) x 197 (H) x 47 (D)



140 | 161



153 | 163



154 | 164



**MINIGRID®**

Interchangeable modules available on page K37.

We recommend the use of branded halogen lamps with all Deco® leading edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. These dimmer switches have not been designed to use with LED lamps. However, they may be suitable for some good quality LED lamps. For further information please contact Click® Technical support team.

We recommend the use of branded LED lamps with all Deco® trailing edge dimmers. The use of inferior, non-branded lamps may require the nominal rating of the dimmer to be reduced. For further information please contact Click® Technical support team.

**Dimmer Switches (Leading Edge)**

- 140** 1 Gang 2 Way 400Va Dimmer Switch
- 152** 2 Gang 2 Way 400Va Dimmer Switch
- 153** 3 Gang 2 Way 400Va Dimmer Switch
- 154** 4 Gang 2 Way 400Va Dimmer Switch

**Dimmer Switches (Trailing Edge)**

- 161** 1 Gang 2 Way 100W Dimmer Switch
- 162** 2 Gang 2 Way 100W Dimmer Switch
- 163** 3 Gang 2 Way 100W Dimmer Switch
- 164** 4 Gang 2 Way 100W Dimmer Switch

**Standards:** BS EN 60669-1 BS EN 55015 BS EN 61000-3-2 400Va: BS EN 61000-3-3 100W: BS EN 60669-2-1  
**Type:** 400Va: Leading Edge 100W: Trailing Edge  
**Back Box Depth (mm):** 25 **Cable Size (mm²):** 2 x 1.5  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. Please note: Supplied with both black & white gaskets (AB & BN supplied with black gaskets only)  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

**Dimmer Modules**

- MD9001** 6A 2 Way Push On/Off (Non-Dimming) Module (25 x 62mm)
- MD9010** 1-10V Analogue Dimmer Module (25 x 62mm)
- MD9022** 250W 2 Leading Edge Way Dimmer Module (25 x 62mm)
- MD9042** 400W 2 Way Leading Edge Dimmer Module (25 x 62mm)
- MD9014** 100W Dual Mode Dimmer Module with Trim (26.5 x 55mm)

**Dimmer M10 Nut Runner**

- SP900** Dimmer M10 Nut Runner Tool

Use the nut runner to easily exchange dimmer modules and create customised dimmer switch plate



SP900

MD9014



140PL



152PL



153PL



185



186

Dimmer Modules supplied separately

**Dimmer Mounting Unfurnished Plates**

- 140PL** 1 Gang Dimmer Plate & Knob (650W Max) - 1 Aperture
- 152PL** 2 Gang Dimmer Plate & Knobs (800W Max) - 2 Apertures
- 153PL** 3 Gang Dimmer Plate & Knobs (1200W Max) - 3 Apertures
- 154PL** 4 Gang Dimmer Plate & Knobs (1600W Max) - 4 Apertures
- 185** 1 Gang Dimmer Plate & Knob (1000W Max) - 1 Aperture
- 186** 2 Gang Dimmer Plate & Knobs (1630W Max) - 2 Apertures

**Standards:** BS 5733  
**Back Box Depth (mm):** 25 (35 Flat Plate)  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:  
**VP** - Plate Style **BN** - Plate Finish **011** - Product No. Please note: Supplied with both black & white gaskets (AB & BN supplied with black gaskets only)  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

D12



421



422



MD9125



423



424

MD9125 Intermediate module available.

Satin Chrome & Stainless Steel plate finishes require the use of a Pearl Nickel (PN) Toggle Switch Module. Not interchangeable with dimmers or other MiniGrid® modules.

**Toggle Switches**

- 421** 10AX 1 Gang 2 Way Toggle Switch
- 422** 10AX 2 Gang 2 Way Toggle Switch
- 423** 10AX 3 Gang 2 Way Toggle Switch
- 424** 10AX 4 Gang 2 Way Toggle Switch

**10AX Intermediate Toggle Switch Modules**

- MD9125AB** Intermediate Toggle Switch Module - Antique Brass
- MD9125BN** Intermediate Toggle Switch Module - Black Nickel
- MD9125BR** Intermediate Toggle Switch Module - Polished Brass
- MD9125CH** Intermediate Toggle Switch Module - Polished Chrome
- MD9125PN** Intermediate Toggle Switch Module - Pearl Nickel

Standards: BS EN 60669-1

Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 4 x 1.5 or 2 x 2.5

Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code:

VP - Plate Style BN - Plate Finish 011 - Product No. Please note: Supplied with both black & white gaskets (AB & BN supplied with black gaskets only)

AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,

BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

# Power Socket Outlets, Fused Connection Units & Control Switches

With the ever increasing demand for power supplies in all areas of the home comes the problem of selecting and fitting outlets which blend harmoniously with the décor of the room in which they are to be fitted.

The 9 different Deco® plate finishes offer a solution for almost every possible design need and will enhance the décor of any area whether in a kitchen, bedroom, lounge or study etc...



13A Wall Socket Outlets | Round Pin  
Fused Connection Units | Wall Socket Outlets  
Fan Isolation Switches | DP Switches




771U

770

**Switched Sockets With USB Outlet**

- 771U** 13A 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 770** 13A 2 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)



571U

570

**Ingot Switched Sockets With USB Outlet**

- 571U** 13A Ingot 1 Gang Switched Socket With 2.1A USB Outlet (Twin Earth)
- 570** 13A Ingot 2 Gang Switched Sockets With 2.1A USB Outlet (Twin Earth)

**Standards:** BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
**Back Box Depth (mm):** 25 **Cable Size (mm²):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.



780

786

**Switched Sockets With Twin USB Outlets**

- 780** 13A 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth)
- 786** 13A 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth)



580

586

**Ingot Switched Sockets With Twin USB Outlets**

- 580** 13A Ingot 2 Gang Switched Socket With Twin 2.1A USB Outlets (4.2A) (Twin Earth)
- 586** 13A Ingot 2 Gang Switched Safety Shutter Socket Outlet With Type A & C USB (4.2A) Outlets (Twin Earth)

**Standards:** BS 1363-2: 2016 +A1: 2018 BS EN IEC 62368-1 BS EN 62680-1-1  
**Back Box Depth (mm):** 25 **Cable Size (mm²):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.





035

036

**Switched Socket Outlets**

- 035** 13A 1 Gang DP Switched Socket
- 036** 13A 2 Gang DP Switched Socket (Twin Earth)



535

536

**Ingot Switched Socket Outlets**

- 535** 13A Ingot 1 Gang DP Switched Socket
- 536** 13A Ingot 2 Gang DP Switched Socket (Twin Earth)

Standards: BS 1363-2  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4  
 Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

Safety Shutter Sockets (Excluding USB options) are only available for sale in the Republic of Ireland.



038

039

1836

**Round Pin Socket Outlets**

- 038** 5A Round Pin Socket
- 039** 2A Round Pin Socket

**Ingot Switched Safety Shutter Socket Outlets With Outboard Rockers**

- 1836** 13A Ingot 2 Gang DP 3 Pin Safety Shutter Switched Socket Outlet (Twin Earth)



1535

1536

**Ingot Switched Safety Shutter Socket Outlets**

- 1535** 13A Ingot 1 Gang DP 3 Pin Safety Shutter Switched Socket Outlet
- 1536** 13A Ingot 2 Gang DP 3 Pin Safety Shutter Switched Socket Outlet (Twin Earth)

Standards: BS 1363-2 038 039: BS 546  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4 038: 3 x 1.5 039: 4 x 1.5 or 3 x 2.5  
 Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



**Fused Connection Units With Optional Flex Outlet**

- 050** 13A Fused Connection Unit
- 051** 13A DP Switched Fused Connection Unit
- 052** 13A DP Switched Fused Connection Unit With Neon
- 053** 13A Fused Connection Unit With Neon



**Fused Connection Units Without Flex Outlet**

- 650** 13A Fused Connection Unit
- 651** 13A DP Switched Fused Connection Unit
- 652** 13A DP Switched Fused Connection Unit With Neon
- 653** 13A Fused Connection Unit With Neon

Standards: BS 1363-4 BS 1362  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



**Ingot Fused Connection Units With Optional Flex Outlet**

- 550** 13A Ingot Fused Connection Unit
- 551** 13A Ingot DP Switched Fused Connection Unit
- 552** 13A Ingot DP Switched Fused Connection Unit With Neon
- 553** 13A Ingot Fused Connection Unit With Neon



**Ingot Fused Connection Units Without Flex Outlet**

- 750** 13A Ingot Fused Connection Unit
- 751** 13A Ingot DP Switched Fused Connection Unit
- 752** 13A Ingot DP Switched Fused Connection Unit With Neon
- 753** 13A Ingot Fused Connection Unit With Neon

Standards: BS 1362  
 Back Box Depth (mm): 25 Cable Size (mm<sup>2</sup>): 3 x 2.5 or 2 x 4  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

3 Pole And 20A DP Switches Are Non-Modular.



022



023

**20A Control Switches With Optional Flex Outlet**

- 022 20A DP Switch
- 023 20A DP Switch With Neon



622



623

**20A Control Switches Without Flex Outlet**

- 622 20A DP Switch
- 623 20A DP Switch With Neon



020

**Fan Isolation Switch**

- 020 10A 3 Pole Fan Isolation Switch

This Product Is Not Modular


Standards: BS EN 60669-1 020: BS EN 60669-2-4  
 Back Box Depth (mm): 25 020: 16 Cable Size (mm<sup>2</sup>): 3 x 2.5 020: 4 x 1.5 or 2 x 2.5  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

3 Pole And 20A DP Switches Are Non-Modular.



522



523

**Ingot 20A Control Switches With Optional Flex Outlet**

- 522 20A Ingot DP Switch
- 523 20A Ingot DP Switch With Neon



722



723

**Ingot 20A Control Switches Without Flex Outlet**

- 722 20A Ingot DP Switch
- 723 20A Ingot DP Switch With Neon



520

**Ingot Fan Isolation Switch**

- 520 10A Ingot 3 Pole Fan Isolation Plate Switch

Standards: BS EN 60669-1 520: BS EN 60669-2-4  
 Back Box Depth (mm): 25 520: 16 Cable Size (mm<sup>2</sup>): 3 x 2.5 520: 4 x 1.5 or 2 x 2.5  
 Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome,  
 BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



**45A Switches And Socket Outlets**

- 200** 45A 1 Gang DP Switch
- 201** 45A 1 Gang DP Switch With Neon
  
- 202** 45A 2 Gang DP Switch
- 203** 45A 2 Gang DP Switch With Neon
  
- 204** 45A 2 Gang DP Switch With 13A DP Switched Socket
- 205** 45A 2 Gang DP Switch With 13A DP Switched Socket & Neons

Standards: BS EN 60669-1 204 205: BS 4177  
 Back Box Depth (mm): 35 Cable Size (mm<sup>2</sup>): 1 x 16  
 Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 202 203: 88 (W) x 146 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



**Ingot 45A Switches And Socket Outlets**

- 500** 45A Ingot 1 Gang DP Switch
- 501** 45A Ingot 1 Gang DP Switch With Neon
  
- 502** 45A Ingot 2 Gang DP Switch
- 503** 45A Ingot 2 Gang DP Switch With Neon
  
- 504** 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket
- 505** 45A Ingot 2 Gang DP Switch With 13A DP Switched Socket & Neons  
 Only available in selected finishes: CH, SC, AB, BN, PN & SS

Standards: BS EN 60669-1 504 505: BS 4177  
 Back Box Depth (mm): 35 Cable Size (mm<sup>2</sup>): 1 x 16  
 Dimensions (mm): 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 502 503: 88 (W) x 146 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel.



660

**Lockable Switches**

**660** 20A Double Pole Key Lockable Switch



655

**Ingot Lockable Sockets**

**655** 13A Ingot 1 Gang DP Key Lockable Socket With Neon



675

**Lockable Sockets**

**675** 13A 1 Gang DP Key Lockable Socket With Neon

Two keys provided (Spare keys available: SP660).



024

**20A DP Sink/Bath Switch**

**024** 20A DP Sink/Bath Switch With Neon



100

**Dual Voltage Shaver Socket**

**100** 115/230V Dual Voltage Shaver Socket

Click® dual voltage shaver outlets incorporate a double wound isolating transformer rated 20Va at 230V or 115V and meets BS EN 61558-2-5:2010 making it safe for use in bathrooms. Shaver outlet is not continuously rated and therefore not suitable for use as a permanent charging outlet.



060

**Blank Plates**

- 060** 1 Gang Blank Plate
- 061** 2 Gang Blank Plate



061

**Standards:** 655 675: BS EN 60669-1 BS 1363-2 660: BS EN 60669-1  
**Back Box Depth (mm):** 35 **Cable Size (mm<sup>2</sup>):** 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

**Standards:** 024: BS EN 60669-1 100: BS EN IEC 61558-1 BS EN 61558-2-5  
**Back Box Depth (mm):** 024: 25 100: 47 **Cable Size (mm<sup>2</sup>):** 024: 3 x 2.5 100: 2 x 1.5 or 1 x 2.5  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 100: 88 (W) x 146 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
 VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.

# TV, Telephone & Data Sockets

The following pages contain details of Deco® products designed to deal with handling data and media transfer through telephone, computer, TV or radio.

As well as the finished products please also find details of unfurnished mounting plates designed to accept custom selections of New Media™ modules from the New Media™ section of this catalogue.

RJ11 Outlet | UK Telephone Outlets  
Satellite Socket Outlets | Coaxial Sockets





**RJ11 Telephone Outlets**

**115** Single RJ11 (Irish/US) Outlet

**Telephone Outlets**

**120** Single Telephone Outlet - Master

**121** Twin Telephone Outlet - Master

**125** Single Telephone Outlet - Secondary

**126** Twin Telephone Outlet - Secondary

Twin outlets are 2 separate sockets and not internally linked together.

Back Box Depth (mm): 16 115: 35  
Termination Type: IDC 115: Screw  
Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



065 | 158

066 | 159

156

157 | 170



**Non-isolated Coaxial Outlets (Unshielded)**

**065** Single Coaxial Outlet

**066** Twin Coaxial Outlet

**Isolated Coaxial Outlets (Unshielded)**

**158** Single Isolated Coaxial Outlet

**159** Twin Isolated Coaxial Outlet

**Satellite Outlets (Unshielded)**

**156** Non-isolated Single Satellite Outlet

**157** Isolated Satellite & Isolated Coaxial Outlet

**170** Non-isolated Satellite & Non-isolated Coaxial Outlet

Isolated outlets will filter out any interference, if a 2 way signal is required, i.e. for use with satellite hard wire extensions, then a non-isolated outlet is required.

Back Box Depth (mm): 16  
Dimensions (mm): 88 (W) x 88 (H) x 8 (D)

Understanding the code: Please note: AB & BN are only available with Black inserts. SC & SS Ingot are available with Grey Inserts  
VP - Plate Style BN - Plate Finish 011 - Product No. BK - Insert Colour  
AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



MP603

Selecting from a range of module inserts covering all manner of media transfer, the installer will now be able to configure their own arrangement of TV, radio or satellite reception, plus speaker, telephone and data outlets. All modules can be inserted into single or double wall plates, fitted onto standard switch and socket boxes.

**Half New Media Semi-Modular Part Furnished Plate**

**MP603** Half New Media Part Furnished Front Plate - 2 X 13A DP Switched Sockets & 3 Apertures

Available in Chrome (CH), Satin Chrome (SC) Satin Brass (SB) and Polar White (PW). Requires MP520 flush back box.

**2 Tier Semi-Modular Unfurnished Plates**

**MP606** Large New Media™ Part Furnished Front Plate - 4 x 13A DP Switched Sockets & 2 x 3 Apertures

Available in Chrome (CH), Satin Chrome (SC) and Polar White (PW). Requires MP525 or MP535 flush back box.



MP606



310



311



312



See our dedicated New Media™ section for more information on the range of New Media™ modules available. For the complete range of Semi-modular unfurnished plates see page L7.

**Unfurnished Plates - New Media™**

- 310** 1 Gang New Media™ Unfurnished Plate - 1 Aperture
- 311** 1 Gang New Media™ Unfurnished Plate - 2 Apertures
- 312** 2 Gang New Media™ Unfurnished Plate - 4 Apertures

**Standards:** BS 5733 603 606: BS 1363-2  
**Back Box Depth (mm):** Dependent On Modules Fitted **Cable Size (mm²):** 603 606: 3 x 2.5 or 2 x 4  
**Dimensions (mm):** 1 Gang: 88 (W) x 88 (H) x 8 (D) 2 Gang: 146 (W) x 88 (H) x 8 (D) 603: 250 (W) x 86 (H) x 8 (D) 606: 250 (W) x 216 (H) x 8 (D)

Understanding the code:  
 VP - Plate Style BN - Plate Finish 011 - Product No.  
 AB Antique Brass, BR Polished Brass, SB Satin Brass, CH Polished Chrome, SC Satin Chrome, BN Black Nickel, SS Stainless Steel, PN Pearl Nickel, GCBR Georgian Style.



WA093

WA095

**Galvanised Steel Back Boxes**

**WA093** 1 Gang 25mm Deep Galvanised Steel K.O. Box

**WA094** 2 Gang 25mm Deep Galvanised Steel K.O. Box

**WA095** 1 Gang 35mm Deep Galvanised Steel K.O. Box

**WA096** 2 Gang 35mm Deep Galvanised Steel K.O. Box

**WA097** 1 Gang 47mm Deep Galvanised Steel K.O. Box

**WA370** 1 + 1 35mm Deep Dual Accessory Box (Deco® Range Only)

**WA375** 1 + 2 35mm Deep Dual Accessory Box (Deco® Range Only)

**WA571** 1 Gang 25mm Deep Architrave Galvanised Steel K.O. Box (Deco® Range Only)

**WA572** 2 Gang 25mm Deep Architrave Galvanised Steel K.O. Box (Deco® Range Only)




WA370



WA571



WA572



SP650



SP675

**Longer Fixing Screws**

**SP650** Standard 3.5mm Dia. 50mm Long Screws (Bag 100)

**SP675** Standard 3.5mm Dia. 75mm Long Screws (Bag 100)

**SP625** Standard M3.5 Security Screw 25mm Long (Bag 100) Require 2mm security allen key/driver.

essentials™

For the complete range of back boxes see Essentials™ page N7. For the complete range of longer fixing screws see Essentials™ page N9.

Understanding the code:  
 Screws available in BR Brass, CH Chrome and BN Black Nickel finishes.  
 Suffix code with preferred finish. Chrome finish may be used with white plate accessories





WA4247

WA106P

WA107P

### FlameGuard® Dry Lining Boxes

- WA4135** 1 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4147** 1 Gang 47mm Deep FlameGuard® Dry Lining Box
- WA4235** 2 Gang 35mm Deep FlameGuard® Dry Lining Box
- WA4247** 2 Gang 47mm Deep FlameGuard® Dry Lining Box

### Dry Lining Boxes (Sprung Fixing Lugs)

- WA087SF** 1 Gang 35mm Deep Dry Lining Box
- WA088SF** 2 Gang 35mm Deep Dry Lining Box
- WA106SF** 1 Gang 47mm Deep Dry Lining Box
- WA107SF** 2 Gang 47mm Deep Dry Lining Box

### Dry Lining Boxes

- WA087P** 1 Gang 35mm Deep Dry Lining Box
- WA088P** 2 Gang 35mm Deep Dry Lining Box
- WA106P** 1 Gang 47mm Deep Dry Lining Box
- WA107P** 2 Gang 47mm Deep Dry Lining Box
- WA108P** Round Ceiling 34mm Deep Dry Lining Box

### Spacer Gaskets

- VP095BK** 1 Gang 10mm Spacer Gasket - Black
- VP095GY** 1 Gang 10mm Spacer Gasket - Grey
- VP095WH** 1 Gang 10mm Spacer Gasket - White
- VP096BK** 2 Gang 10mm Spacer Gasket - Black
- VP096GY** 2 Gang 10mm Spacer Gasket - Grey
- VP096WH** 2 Gang 10mm Spacer Gasket - White

essentials™

For the complete range of back boxes see Essentials™ page N7.

FlameGuard® back boxes have been tested and conform to both fire and acoustic BS EN standards. Fire: BS EN 1364-1 Acoustic: BS EN ISO 140-2. Complies with Building Regulations Fire tested up to 90 minutes with the capability of the boxes being mounted back to back.